


KEYED NOTES

1. 1/4 INCH DIAMETER PIPE.
2. 3/8 INCH DIAMETER PIPE.
3. 1/2 INCH DIAMETER PIPE.
4. 3/4 INCH DIAMETER PIPE.
5. 1 INCH DIAMETER PIPE.
6. 1-1/4 INCH DIAMETER PIPE.
7. 1-1/2 INCH DIAMETER PIPE.
8. 2 INCH DIAMETER PIPE.
9. 2-1/2 INCH DIAMETER PIPE.
10. 3 INCH DIAMETER PIPE.
11. 4 INCH DIAMETER PIPE.
12. 6 INCH DIAMETER PIPE.
13. EMERGENCY SHUT-OFF BUTTONS.
14. EMERGENCY SHUT-OFF SOLENOID VALVES.
15. ACID NEUTRALIZATION TANK MONITORING SYSTEM. REFER DETAIL 10, SHEET P0500.
16. SINKS AND EMERGENCY FIXTURES IN THIS AREA ARE FURNISHED BY THE LAB CASEWORK VENDOR. PROVIDE PLUMBING ROUGH-INS AS SHOWN.
17. 3" ACID WASTE DOWN.
18. 1-1/4" VENT UP.
19. 3" ACID WASTE UP.
20. 1/4" VENT DOWN.
21. 3/4" CONNECT TO HYDRONIC SYSTEM MAKE-UP WATER.

SAMPLE ONLY

COPYRIGHT BY
CREATIVE CONCEPTS AND DESIGN, INC.

Key Plan



Mark Date Description

Project #: 207014.00
 CAD File Name:
 Issue Date: 10.08.2007

PLUMBING WASTE AND VENT RISER

P0600